



NEXTREME

a brand of
Garlando
SPORT AND LEISURE

Giochi su ruote
Wheeled games

2017-2018

TRIBE

SKULLS

GRG-011



MONSTERS

GRG-012



IT

Dimensioni tavola	60X15 cm.
Materiale tavola	multistrato di acero a 9 strati
Grafica	adesivo su entrambi i lati - con grip tape sul lato superiore
Truck	in PP ad alta resistenza 8,2cm
Ammortizzatori	in poliuretano ad alta densità 95A
Ruote	rosse in PVC 50x30 mm
Cuscinetti a sfera	ABEC 1
Grafiche disponibili	Monsters, Skulls
Istruzioni	multilingua (IT/EN/FR) incluse
Peso massimo utilizzatore consigliato	30 kg
Imballo	pellicola termoretraibile per tavola e singole ruote - 12 pz in cartone master
Certificazioni	EN 71 Parte 2:2011/Parte 3:1994 + A1:2000

EN

Deck dimensions	60X15 cm.
Deck material	9 plys maple board
Design	stickers on both surfaces - grip tape sticker on upper surface
Truck	high strength PP 8,2cm (3,25")
Cushion pads	high density PU 95A
Wheels	red 50x30mm PVC
Roller bearings	ABEC 1
Designs available	Monsters, Skulls
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended maximum user's weight	30 kg
Packing	shrinking films for deck and single wheels - 12 pcs in a master carton
Certification	EN 71 Part 2:2011/Part 3:1994 + A1:2000



TRIBE PRO

BLOODY SKULL

GRG-014



WHITE SKULL

GRG-015



USA FLAG

GRG-016



IT

Dimensioni tavola	79x20 cm.
Materiale tavola	multistrato di acero a 9 strati
Grafica	adesivo sul lato inferiore - grip tape sul lato superiore
Truck	in alluminio "seagull" 12,7cm
Ammortizzatori	in poliuretano ad alta densità 95A
Ruote	trasparenti in fibra di poliuretano ad alta resistenza e durabilità 50x36 mm
Cuscinetti a sfera di precisione	ABEC 5
Grafiche disponibili	Bloody skull, White skull, USA flag
Istruzioni	multilingua (IT/EN/FR) incluse
Peso massimo utilizzatore consigliato	90 kg
Imballo	pellicola termoretraibile per tavola e singole ruote - 6 pz in cartone master
Certificazioni	EN 71 Parte 2:2011/Parte 3:1994 + A1:2000 + AC:2002 e EN13613:2009

EN

Deck dimensions	79x20 cm.
Deck material	9 plys maple board
Design	stickers on lower surface - grip tape sticker on upper surface
Truck	aluminum "seagull" 12,7cm (5")
Cushion pads	high density PU 95A
Wheels	transparent 50x36 mm high strength and durability polyurethane fiber wheels
High precision roller bearings	ABEC 5
Designs available	Bloody skull, White skull, USA flag
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended maximum user's weight	90 kg
Packing	shrinking films for deck and single wheels - 6 pcs in a master carton
Certification	EN 71 Part 2:2011/Part 3:1994 + A1:2000 + AC:2002 and EN13613:2009



STREET PRO

HIP HOP

GRG-062



GRAFFITI

GRG-066



IT

Dimensioni tavola	79x20 cm.
Materiale tavola	multistrato di acero canadese a 7 strati
Grafica	termostampata sul lato inferiore - grip tape OS780 heavy duty sul lato superiore
Truck	in alluminio "seagull" 12,7cm
Ammortizzatori	in poliuretano ad alta densità 95A
Ruote	trasparenti in fibra di poliuretano ad alta resistenza e durabilità 50x36 mm
Cuscinetti a sfera di precisione	ABEC 7
Grafiche disponibili	Hip Hop, Graffiti
Istruzioni	multilingua (IT/EN/FR) incluse
Peso massimo utilizzatore consigliato	100 kg
Imballo	pellicola termoretraibile per tavola e singole ruote - 6 pz in cartone master
Certificazioni	EN13613:2009

EN

Deck dimensions	79x20 cm.
Deck material	7 plys canadian maple board
Design	heat transfer printed on lower surface - OS780 heavy duty grip tape sticker on upper surface
Truck	aluminum "seagull" 12,7cm (5")
Cushion pads	high density PU 95A
Wheels	transparent 50x36 mm high strength and durability polyurethane fiber wheels
High precision roller bearings	ABEC 7
Designs available	Hip Hop, Graffiti
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended maximum user's weight	100 kg
Packing	shrinking films for deck and single wheels - 6 pcs in a master carton
Certification	EN13613:2009

RUOTE IN PU 50X36 MM
50X36MM PU WHEELSGRAFICA TERMOSTAMPATA SUL LATO INFERIORE
HEAT TRANSFER PRINTED DESIGN ON LOWER SURFACECUSCINETTI ABEC7
BALL BEARINGS ABEC7AMMORTIZZATORI IN POLIURETANO
AD ALTA DENSITÀ 95A
HIGH DENSITY PU 95A CUSHION PADSTRUCK IN IN ALLUMINIO "SEAGULL" 12,7CM
ALUMINUM "SEAGULL" 12,7CM (5") TRUCKMULTISTRATO DI ACERO CANADESE A 7 STRATI
7PLYs CANADIAN MAPLE BOARDGRIP TAPE OS780 HEAVY DUTY SUL LATO SUPERIORE
HEAVY DUTY GRIP TAPE OS780 ON UPPER SURFACE

FREEDOM



GRG-001 rosso/red GRG-003 azzurro/light blue
GRG-002 giallo/yellow GRG-045 nero/black

IT

Dimensioni tavola	57x15,2 cm.
Materiale tavola	polipropilene termoplastico di alta qualità stampato a iniezione
Superficie	antiscivolo
Truck	in alluminio 8,2cm
Ammortizzatori	in poliuretano ad alta densità 95A
Ruote	in fibra di poliuretano ad alta resistenza e durabilità 60x45 mm
Cuscinetti a sfera di precisione	ABEC 7
Colori disponibili	nero/arancio, rosso/giallo, giallo/azzurro, azzurro/giallo
Istruzioni	multilingua (IT/EN/FR/ES/DE) incluse
Peso massimo utilizzatore consigliato	80 kg
Imballo	pellicola termoretraibile per tavola e singole ruote - 4 pz in cartone master
Certificazione	EN 13613:2009. Classe A

EN

Deck dimensions	57x15,2 cm.
Deck material	high quality thermoplastic polypropylene injection moulded
Surface	non-slip
Truck	aluminum 8,2cm (3,25")
Cushion pads	high density PU 95A
Wheels	60x45 mm high strength and durability polyurethane fiber wheels
High precision roller bearings	ABEC 7
Colours available	black/orange, red/yellow, yellow/light blue, light blue/yellow
Instruction manual	multilanguage instructions (Italian-English-French-Spanish-German) included
Recommended maximum user's weight	80 kg
Packing	shrinking films for deck and single wheels - 4 pcs in a master carton
Certification	EN 13613:2009. Class A

POLIPROPILENE TERMOPLASTICO DI ALTA QUALITÀ
STAMPATO A INIEZIONE
HIGH QUALITY THERMOPLASTIC POLYPROPYLENE
INJECTION MOULDED

SUPERFICIE ANTISCIVOLO
NON-SLIP SURFACE




CUSCINETTI ABEC7
BALL BEARINGS ABEC7

FIBRA DI POLIURETANO
AD ALTA RESISTENZA E
DURABILITÀ 60X45 MM
60X45 MM HIGH
STRENGTH AND
DURABILITY PU



TRUCK IN ALLUMINIO 8,2CM
ALUMINUM 8,2CM (3,25") TRUCK



AMMORTIZZATORI IN POLIURETANO
AD ALTA DENSITÀ 95A
HIGH DENSITY PU 95A CUSHION PADS

FREEDOM PRO

USA FLAG

GRG-013



MILITARY

GRG-046




IT

Dimensioni tavola	57x15,2 cm.
Materiale tavola	ABS termoplastico ad alta resistenza e durabilità stampato a iniezione
Grafica	adesivo con grip tape sul lato superiore
Truck	in alluminio 8,2cm
Ammortizzatori	in poliuretano ad alta densità 95A
Ruote	in fibra di poliuretano ad alta resistenza e durabilità 60x45 mm
Cuscinetti a sfera di precisione	ABEC 7
Colori/grafiche disponibili	USA FLAG rosso/blu, MILITARY verde militare/giallo
Istruzioni	multilingua (IT/EN/FR/ES/DE) incluse
Peso massimo utilizzatore consigliato	80 kg
Imballo	pellicola termoretraibile per tavola e singole ruote - 4 pz in cartone master
Certificazioni	EN 13613:2009. Classe A

EN

Deck dimensions	57x15,2 cm.
Deck material	high strength and durability thermoplastic ABS injection moulded
Design	grip tape sticker on upper surface
Truck	aluminum 8,2cm (3,25")
Cushion pads	high density PU 95A
Wheels	60x45 mm high strength and durability polyurethane fiber wheels
High precision roller bearings	ABEC 7
Colours/designs available	USA FLAG red/blue, MILITARY military green/yellow
Instruction manual	multilanguage instructions (Italian-English-French-Spanish-German) included
Recommended maximum user's weight	80 kg
Packing	shrinking films for deck and single wheels - 4 pcs in a master carton
Certification	EN 13613:2009. Class A



CRUISER BAY

GRG-063



IT

Dimensioni tavola	96X24 cm. spessore 12,5 mm
Materiale tavola	multistrato di acero a 8 strati
Caratteristiche tavola	flat con pintail - flex 3/5 medio
Grafica	termostampata sul lato inferiore - grip tape OS780 heavy duty sul lato superiore
Truck	in alluminio "seagull" 17,7cm - montaggio standard TOP - RKP (reverse kingpin)
Ammortizzatori	in poliuretano ad alta densità 92A
Ruote	in fibra di poliuretano ad alta resistenza e durabilità 65x45 mm 78A HR - spalla arrotondata
Cuscinetti a sfera di precisione	ABEC 7
Istruzioni	multilingua (IT/EN/FR) incluse
Peso massimo utilizzatore consigliato	100 kg
Imballo	pellicola termoretraibile per tavola e singole ruote - 2 pz in cartone master
Certificazioni	EN13613:2009

EN

Deck dimensions	96X24 cm. - thickness 12,5 mm
Deck material	8 plys maple board
Deck features	flat with pintail - flex 3/5 medium
Design	heat transfer printed on lower surface - heavy duty grip tape OS780 on upper surface
Truck	aluminum "seagull" 17,7 cm (7") - TOP standard assembly - RKP (reverse kingpin)
Cushion pads	high density PU 92A
Wheels	78A HR 65x45 mm high strength and durability polyurethane fiber wheels - rounded edge
High precision roller bearings	ABEC 7
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended maximum user's weight	100 kg
Packing	shrinking films for deck and single wheels - 2 pcs in a master carton
Certification	EN13613:2009

RUOTE IN FIBRA DI POLIURETANO AD ALTA RESISTENZA E DURABILITÀ 65X45 MM 78A HR
78A HR 65X45 MM HIGH STRENGTH AND DURABILITY POLYURETHANE FIBER WHEELS

TAVOLA FLAT CON PINTAIL - FLEX 3/5 MEDIO
FLAT DECK WITH PINTAIL - FLEX 3/5 MEDIUM

AMMORTIZZATORI IN POLIURETANO
AD ALTA DENSITÀ 92A
HIGH DENSITY PU 92A CUSHION PADS

CUSCINETTI ABEC7
BALL BEARINGS ABEC7

TRUCK IN IN ALLUMINIO "SEAGULL" 17,7 CM
ALUMINUM "SEAGULL" 17,7CM (7") TRUCK

MULTISTRATO DI ACERO A 8 STRATI
8 PLYS MAPLE BOARD

GRIP TAPE OS780 HEAVY DUTY SUL LATO SUPERIORE
HEAVY DUTY GRIP TAPE OS780 ON UPPER SURFACE

CRUISER LAND

GRG-064



IT

Dimensioni tavola	95X24 cm. spessore 12,5 mm
Materiale tavola	multistrato di acero a 8 strati
Caratteristiche tavola	flat con kicktail - flex 3/5 medio
Grafica	termostampata sul lato inferiore - grip tape OS780 heavy duty sul lato superiore
Truck	in alluminio "seagull" 17,7cm - montaggio standard TOP - RKP (reverse kingpin)
Ammortizzatori	in poliuretano ad alta densità 92A
Ruote	in fibra di poliuretano ad alta resistenza e durabilità 70x50 mm 78A HR - spalla quadrata
Cuscinetti a sfera di precisione	ABEC 7
Istruzioni	multilingua (IT/EN/FR) incluse
Peso massimo utilizzatore consigliato	100 kg
Imballo	pellicola termoretraibile per tavola e singole ruote - 2 pz in cartone master
Certificazioni	EN13613:2009

EN

Deck dimensions	96X24 cm. - thickness 12,5 mm
Deck material	8 plys maple board
Deck features	flat with kicktail - flex 3/5 medium
Design	heat transfer printed on lower surface - heavy duty grip tape OS780 on upper surface
Truck	aluminum "seagull" 17,7 cm (7") - TOP standard assembly - RKP (reverse kingpin)
Cushion pads	high density PU 92A
Wheels	78A HR 70x50 mm high strength and durability polyurethane fiber wheels - square edge
High precision roller bearings	ABEC 7
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended maximum user's weight	100 kg
Packing	shrinking films for deck and single wheels - 2 pcs in a master carton
Certification	EN13613:2009

RUOTE IN FIBRA DI POLIURETANO AD ALTA RESISTENZA E DURABILITÀ 70X50 MM 78A HR
78A HR 70X50 MM HIGH STRENGTH AND DURABILITY POLYURETHANE FIBER WHEELS

TAVOLA FLAT CON KICKTAIL - FLEX 3/5 MEDIO
FLAT DECK WITH KICKTAIL - FLEX 3/5 MEDIUM

AMMORTIZZATORI IN POLIURETANO
AD ALTA DENSITÀ 92A
HIGH DENSITY PU 92A CUSHION PADS

CUSCINETTI ABEC7
BALL BEARINGS ABEC7

TRUCK IN IN ALLUMINIO "SEAGULL" 17,7 CM
ALUMINUM "SEAGULL" 17,7CM (7") TRUCK

MULTISTRATO DI ACERO A 8 STRATI
8 PLYS MAPLE BOARD

GRIP TAPE OS780 HEAVY DUTY SUL LATO SUPERIORE
HEAVY DUTY GRIP TAPE OS780 ON UPPER SURFACE

DROP PACIFIC

GRG-065



IT

Dimensioni tavola	97x23 cm. spessore 12,5 mm
Materiale tavola	multistrato di acero a 8 strati
Caratteristiche tavola	concava - flex 2/5 rigido
Grafica	termostampata sul lato inferiore - grip tape OS780 heavy duty sul lato superiore
Truck	in alluminio "seagull" 17,7cm - montaggio DROP through - RKP (reverse kingpin)
Ammortizzatori	in poliuretano ad alta densità 88A
Ruote	in fibra di poliuretano ad alta resistenza e durabilità 70x50 mm 78A HR - spalla quadrata
Cuscinetti a sfera di precisione	ABEC 7
Istruzioni	multilingua (IT/EN/FR) incluse
Peso massimo utilizzatore consigliato	100 kg
Imballo	pellicola termoretraibile per tavola e singole ruote - 2 pz in cartone master
Certificazioni	EN13613:2009

EN

Deck dimensions	97x23 cm. - thickness 12,5 mm
Deck material	8 plys maple board
Deck features	concave - flex 2/5 stiff
Design	heat transfer printed on lower surface - heavy duty grip tape OS780 on upper surface
Truck	aluminum "seagull" 17,7 cm (7") - DROP through assembly - RKP (reverse kingpin)
Cushion pads	high density PU 88A
Wheels	78A HR 70x50 mm high strength and durability polyurethane fiber wheels - square edge
High precision roller bearings	ABEC 7
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended maximum user's weight	100 kg
Packing	shrinking films for deck and single wheels - 2 pcs in a master carton
Certification	EN13613:2009

RUOTE IN FIBRA DI POLIURETANO AD ALTA RESISTENZA E DURABILITÀ 70x50 MM 78A HR
78A HR 70x50 MM HIGH STRENGTH AND DURABILITY POLYURETHANE FIBER WHEELS

TAVOLA CONCAVA - FLEX 2/5 RIGIDO
CONCAVE DECK - FLEX 2/5 STIFF

AMMORTIZZATORI IN POLIURETANO
AD ALTA DENSITÀ 88A
HIGH DENSITY PU 88A CUSHION PADS

CUSCINETTI ABEC7
BALL BEARINGS ABEC7

TRUCK IN IN ALLUMINIO "SEAGULL" 17,7 CM
ALUMINUM "SEAGULL" 17,7CM (7") TRUCK

MULTISTRATO DI ACERO A 8 STRATI
8 PLYS MAPLE BOARD

GRIP TAPE OS780 HEAVY DUTY SUL LATO SUPERIORE
HEAVY DUTY GRIP TAPE OS780 ON UPPER SURFACE

URBAN WAVE

BLOODY SKULL
GRG-010

USA FLAG
GRG-009

MILITARY
GRG-008



IT

Dimensioni	86,5x22x13 cm.
Materiale tavola	polipropilene termoplastico di alta qualità stampato a iniezione
Tavola	concava per un maggior controllo dei piedi
Superficie	antiscivolo
Barra di torsione	in acciaio
Ruote	in fibra di poliuretano ad alta resistenza e durabilità ø 76 mm - con luci di sicurezza
Cuscinetti a sfera di precisione	ABEC 7
Grafiche disponibili	Bloody skull, Military, USA flag
Istruzioni	multilingua (IT/EN/FR) incluse
Peso massimo utilizzatore consigliato	60 kg
Imballo	color box - 4 pz in cartone master
Certificazione	EN 13613:2009

EN

Dimensions	86,5x22x13 cm.
Deck material	high quality thermoplastic polypropylene injection moulded
Deck	concave for increased foot control
Surface	non-slip
Torsion bar	steel
Wheels	ø 76 mm high strength and durability polyurethane fiber wheels with safety light
High precision roller bearings	ABEC 7
Designs available	Bloody skull, Military, USA flag
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended maximum user's weight	60 kg
Packing	colour box - 4 pcs in a master carton
Certification	EN 13613:2009



RUOTE CON LUCI DI SICUREZZA
CUSCINETTI ABEC 7
WHEELS WITH SAFETY LIGHTS
BEARINGS ABEC 7

BARRA TORSIONE IN ACCIAIO
STEEL TORSION BAR



PIATTAFORMA CONCAVA
CONCAVE DECK



SUPERFICIE ANTISCIVOLO
NON-SLIP SURFACE

POLIPROPILENE TERMOPLASTICO DI ALTA QUALITÀ
STAMPATO A INIEZIONE
HIGH QUALITY THERMOPLASTIC POLYPROPYLENE
INJECTION MOULDED



SPEED KART NEW

GRG-260



IT

Mettiti comodo e scopri un'esperienza di guida unica e divertentissima con Speed Kart. Trasforma il tuo hoverboard in un vero e proprio kart, facile da guidare con le due leve per accelerare, frenare, curvare e sfrecciare in libertà, per un divertimento mai provato prima!

Compatibilità	con tutti gli hoverboard Nextreme con ruote da 6.5", 8.5" e 10"
Asta poggia piedi	telescopica regolabile in lunghezza per una guida ancora più comoda e personalizzata
Montaggio	facile e immediato
Istruzioni	multilingua incluse
Peso massimo utilizzatore consigliato	100 kg
Imballo	color box
Certificazioni	EN 71 Parte 1:2014/Parte 2:2011+A1:2014/Parte 3:2013

EN

Make yourself comfortable and discover a unique and super amusing driving experience with Speed Kart: it converts your hoverboard into a real kart, easy to drive. By means of two levers you can accelerate, slow down, steer and race out in total freedom, enjoying yourself like never before!

Compatibility	fits all the Nextreme hoverboard with 6.5", 8.5" and 10" wheels
Footrest bar	telescopic - adjustable length for an extra comfortable and customizable guide
Assembly	easy and fast
Instruction manual	multilanguage instructions included
Recommended maximum user's weight	100 kg
Packing	colour box
Certifications	EN 71 Part 1:2014/Part 2:2011+A1:2014/Part 3:2013

SEDILE ERGONOMICO PER IL MASSIMO
CONFORT
ERGONOMIC SEAT FOR THE GREATEST
COMFORT



COMPATIBILE CON TUTTI GLI
HOVERBOARD NEXTREME
FITS ALL THE NEXTREME
HOVERBOARDS



ASTA POGGIA PIEDE TELESOPICA
REGOLABILE IN LUNGHEZZA
TELESCOPIC - ADJUSTABLE LENGTH
FOOTREST BAR



TRACK 6.5

GRG-200 nero/black
GRG-200R rosso/red
GRG-200W bianco/white



IT

Ruota	diámetro 16,5 cm (6.5")
Potenza motore	350Wx 2
Velocità massima	fino a 15 km/h
Pendenza superabile	fino a 25°
Batteria	Lithium-Ion da 4.400 mAh
Autonomia	fino a 20 km
Tempo di ricarica	3 ore circa
Luci di sicurezza	a LED
Caricabatterie	certificato CE, EMC, IEC 61000. Con protezione contro il sovraccarico e indicatore carica a LED rosso/verde
Colori disponibili	nero, rosso, bianco
Istruzioni	in italiano incluse. Multilingua (EN/FR/ES/DE) scaricabili online
Peso massimo utilizzatore consigliato	100kg
Imballo	color box- 1 pz in cartone master
Certificazioni	CE EN ISO12100, ROHS, LVD, EMC

EN


Wheel	diameter 16,5 cm (6.5")
Engine power	350Wx 2
Maximum speed	up to 15 km/h
Maximum climbing capacity	up to 25°
Battery	Lithium-Ion 4.400 mAh
Travel distance	up to 20 km
Charging time	about 3 hours
Safety lights	LED
EU approved battery charger	CE, EMC, IEC 61000. Overload protection and red/green LED charge indicator
Colours available	black, red, white
Instruction manual	italian language included. Multilanguage instructions (English-French-Spanish-German) downloadable online
Recommended maximum user's weight	100kg
Packing	colour box - 1 pc in a master carton
Certifications	CE EN ISO12100, ROHS, LVD, EMC

DIAMETRO RUOTA: 16,5 CM (6.5")
WHEEL DIAMETER: 16,5 CM (6.5")

LUCI DI SICUREZZA A LED
LED SAFETY LIGHTS

BATTERIA LITHIUM-ION DA 4.400 mAh
LITHIUM-ION 4.400 mAh BATTERY

POTENZA MOTORE: 350W X 2
ENGINE POWER: 350W X 2



SKYLON 6.5

GRG-210




IT

Ruota	diametro 16,5 cm (6.5")
Potenza motore	350Wx 2
Velocità massima	fino a 15 km/h
Pendenza superabile	fino a 25°
Batteria	Samsung, Lithium-Ion da 4.400 mAh
Autonomia	fino a 20 km
Tempo di ricarica	3 ore circa
Luci di sicurezza	a LED
Caricabatterie	certificato CE, EMC, IEC 61000. - Con protezione contro il sovraccarico e indicatore carica a LED rosso/verde
Istruzioni	in italiano incluse. Multilingua (EN/FR/ES/DE) scaricabili online
Peso massimo utilizzatore consigliato	100kg
Dotazioni	Bluetooth e cassa integrata, borsa zaino da trasporto
Imballo	color box - 1 pz in cartone master
Certificazioni	CE EN ISO12100, ROHS, LVD, EMC

EN

Wheel	diameter 16,5 cm (6.5")
Engine power	350Wx 2
Maximum speed	up to 15 km/h
Maximum climbing capacity	up to 25°
Battery	4.400 mAh Lithium-Ion Samsung
Travel distance	up to 20 km
Charging time	about 3 hours
Safety lights	LED
EU approved battery charger	CE, EMC, IEC 61000. - Overload protection and red/green LED charge indicator
Instruction manual	italian language included. Multilanguage instructions (English-French-Spanish-German) downloadable online
Recommended maximum user's weight	100kg
Includes	Bluetooth and integrated speaker, backpack for easy carrying
Packing	colour box - 1 pc in a master carton
Certifications	CE EN ISO12100, ROHS, LVD, EMC



BORSA ZAINO DA TRASPORTO INCLUSA
BACKPACK FOR EASY
CARRYING INCLUDED



CONNECT 8.0 NEW

GRG-240



IT

Ruota	diametro 20,3 cm (8")
Potenza motore	350Wx 2
Velocità massima	fino a 15 km/h
Pendenza superabile	fino a 25°
Batteria	Lithium-Ion da 4.400 mAh
Autonomia	fino a 20 km
Tempo di ricarica	3 ore circa
Display	LCD retro illuminato blue backlight - stato di carica della batteria (%) velocità (Km/h)
Asta di comando	telescopica regolabile in altezza 68/103 cm
Luci di sicurezza	a LED
Caricabatterie	certificato CE, EMC, IEC 61000. Con protezione contro il sovraccarico e indicatore carica a LED rosso/verde

Istruzioni	in italiano incluse. Multilingua (EN/FR/ES/DE) scaricabili online
Peso massimo utilizzatore consigliato	100kg
Cavalletto	anteriore
Imballo	color box- 1 pz in cartone master
Certificazioni	CE EN ISO12100, ROHS, LVD, EMC

EN

Wheel	diameter 20,3 cm (8")
Engine power	350Wx 2
Maximum speed	up to 15 km/h
Maximum climbing capacity	up to 25°
Battery	Lithium-Ion 4.400 mAh
Travel distance	up to 20 km
Charging time	about 3 hours
Display	LCD blue backlight - battery charge (%) speed (Km/h)
T-bar	telescopic with adjustable height 68/103 cm
Safety lights	LED
EU approved battery charger	CE, EMC, IEC 61000. Overload protection and red/green LED charge indicator
Instruction manual	italian language included. Multilanguage instructions (English-French-Spanish-German) downloadable online
Recommended maximum user's weight	100kg
Kickstand	forward
Packing	colour box - 1 pc in a master carton
Certifications	CE EN ISO12100, ROHS, LVD, EMC



CROSS 8.5



GRG-220




IT

Ruota	diametro 21,6 cm (8.5") con profilo tassellato da fuoristrada per una facilità di guida e stabilità ottimale su tutte le superfici
Potenza motore	350Wx 2
Velocità massima	fino a 15 km/h
Pendenza superabile	fino a 25°
Batteria	Lithium-Ion da 4.400 mAh
Autonomia	fino a 20 km
Tempo di ricarica	3 ore circa
Luci di sicurezza	a LED
Caricabatterie	certificato CE, EMC, IEC 61000. - Con protezione contro il sovraccarico e indicatore carica a LED rosso/verde
Istruzioni	in italiano incluse. Multilingua (EN/FR/ES/DE) scaricabili online
Peso massimo utilizzatore consigliato	100kg
Dotazioni	Bluetooth e cassa integrata
Imballo	color box - 1 pz in cartone master
Certificazioni	CE EN ISO12100, ROHS, LVD, EMC

EN

Wheel	diameter 21,6 cm (8.5") off-road design for easy riding and optimum stability on all surfaces
Engine power	350Wx 2
Maximum speed	up to 15 km/h
Maximum climbing capacity	up to 25°
Battery	4.400 mAh Lithium-Ion
Travel distance	up to 20 km
Charging time	about 3 hours
Safety lights	LED
EU approved battery charger	CE, EMC, IEC 61000. - Overload protection and red/green LED charge indicator
Instruction manual	italian language included. Multilanguage instructions (English-French-Spanish-German) downloadable online
Recommended maximum user's weight	100kg
Includes	Bluetooth and integrated speaker
Packing	colour box - 1 pc in a master carton
Certifications	CE EN ISO12100, ROHS, LVD, EMC



STINGER 10.0 NEW

GRG-250 nero/black
GRG-250B blu/blue
GRG-250W bianco/white



IT

Ruota	diametro 25,4 cm (10") con camera d'aria
Potenza motore	400Wx 2
Velocità massima	fino a 15 km/h
Pendenza superabile	fino a 25°
Batteria	Lithium-Ion da 4.400 mAh
Autonomia	fino a 20 km
Tempo di ricarica	3 ore circa
Luci di sicurezza	a LED
Caricabatterie	certificato CE, EMC, IEC 61000. - Con protezione contro il sovraccarico e indicatore carica a LED rosso/verde
Colori disponibili	nero, blu, bianco
Istruzioni	in italiano incluse. Multilingua (EN/FR/ES/DE) scaricabili online
Peso massimo utilizzatore consigliato	100kg
Dotazioni	Bluetooth e cassa integrata
Imballo	color box - 1 pz in cartone master
Certificazioni	CE EN ISO12100, ROHS, LVD, EMC
Wheel	diameter 25,4 cm (10") - inflatable tyres
Engine power	400Wx 2
Maximum speed	up to 15 km/h
Maximum climbing capacity	up to 25°
Battery	4.400 mAh Lithium-Ion
Travel distance	up to 20 km
Charging time	about 3 hours
Safety lights	LED
EU approved battery charger	CE, EMC, IEC 61000. - Overload protection and red/green LED charge indicator
Colours available	black, blue, white
Instruction manual	italian language included. Multilanguage instructions (English-French-Spanish-German) downloadable online
Recommended maximum user's weight	100kg
Includes	Bluetooth and integrated speaker
Packing	colour box - 1 pc in a master carton
Certifications	CE EN ISO12100, ROHS, LVD, EMC

EN

DIAMETRO RUOTA: 25,4 CM (10")
WHEEL DIAMETER: 25,4 CM (10")


LUCI DI SICUREZZA A LED
LED SAFETY LIGHTS

CAMERA D'ARIA
INFLATABLE TYRES

BATTERIA LITHIUM-ION DA 4.400 mAh
4.400 mAh LITHIUM-ION BATTERY

BLUETOOTH E CASSA INTEGRATA
BLUETOOTH AND INTEGRATED SPEAKER

POTENZA MOTORE: 400W X 2
ENGINE POWER: 400W X 2



ADVENTURE KID

PRINCESS

GRG-004



GRAND PRIX

GRG-005



IT

Pieghevole	con sistema di chiusura rapido e sicuro - facilmente trasportabile
Asta di comando	telescopica regolabile in altezza 58,5/63/69 cm
Manopole	soft touch - in foam ad alta densità
Sterzata	raggio ridotto per una guida facile e fluida
Freno	posteriore
Struttura	in alluminio e PP ad alta resistenza
Ruote	in PVC ø 120 mm anteriore, ø 100 mm posteriore
Cuscinetti a sfera di precisione	ABEC 7
Colori disponibili	fucsia/nero, rosso/nero
Istruzioni	multilingua (IT/EN/FR) incluse
Peso massimo utilizzatore consigliato	20kg
Imballo	color box - 6 box in cartone master
Certificazione	EN71 parte 1/2:2011

EN

Foldable	quick and safe folding mechanism - easy to carry
T-bar	telescopic, with adjustable height - 58,5/63/69 cm
Handles	soft touch - high density foam
Steering	small turning radius for an easy and smooth driving
Brake	rear position
Structure	aluminum and high strength PP
Wheels	PVC - front ø 120 mm , rear ø 100 mm
High precision roller bearings	ABEC 7
Colours available	fuchsia/black, red/black
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended maximum user's weight	20kg
Packing	colour box - 6 boxes in a master carton
Certification	EN71 parts 1/2:2011

ALTEZZA REGOLABILE
ADJUSTABLE HEIGHT

SOFT TOUCH - FOAM
AD ALTA DENSITÀ
SOFT TOUCH -
HIGH DENSITY FOAM

ALLUMINIO E PP AD ALTA RESISTENZA
ALUMINUM AND HIGH STRENGTH PP

PIEGHEVOLE
FOLDABLE

FRENO
BRAKE


RAPTOR 120

RALLY
GRG-006



FLOWER
GRG-044



IT

Pieghevole	salvaspazio
Tracolla removibile	inclusa, per un trasporto ancora più facile e comodo
Asta di comando	telescopica regolabile in altezza 77/82/86 cm
Manopole	soft touch - in foam ad alta densità
Freno	posteriore
Struttura	in alluminio e acciaio ultraleggero - 2,1 Kg
Ruote	in PVC ø 120mm
Cuscinetti a sfera di precisione	ABEC 7
Cavalletto	laterale
Colori disponibili	nero/arancio, bianco/fucsia
Istruzioni	multilingua (IT/EN/FR/ES/DE) incluse
Peso massimo utilizzatore consigliato	50kg
Imballo	color box - 6 box in cartone master
Certificazione	EN71 parte 1/2/3

EN

Foldable	space saver
Removable shoulder strap	included, for an easy and comfortable carriage
T-bar	telescopic, with adjustable height - 77/82/86 cm
Brake	rear position
Handles	soft touch - high density foam
Structure	ultra light aluminum and steel - 2,1 Kg
Wheels	ø 120mm PVC
High precision roller bearings	ABEC 7
Kickstand	lateral
Colours available	black/orange, white/fuchsia
Instruction manual	multilanguage instructions (Italian-English-French-Spanish-German) included
Recommended maximum user's weight	50kg
Packing	colour box - 6 boxes in a master carton
Certification	EN71 parts 1/2/3

ALTEZZA REGOLABILE
ADJUSTABLE HEIGHT

TRACOLLA
SHOULDER STRAP

PIEGHEVOLE
FOLDABLE

PVC Ø120MM
CUSCINETTI ABEC7
BEARINGS ABEC7

SOFT TOUCH - FOAM
AD ALTA DENSITÀ
SOFT TOUCH - HIGH
DENSITY FOAM

ALLUMINIO E ACCIAIO
ALUMINUM AND STEEL

FRENO
BRAKE

PVC Ø120MM
CUSCINETTI ABEC7
BEARINGS ABEC7



RAPTOR PRO 200

GRG-007



IT

Pieghevole	salvaspazio
Tracolla removibile	inclusa, per un trasporto ancora più facile e comodo
Asta di comando	telescopica regolabile in altezza 91/96/100 cm
Manopole	in gomma con presa ergonomica antiscivolo
Assetto	piattaforma ribassata per una maggiore stabilità e sicurezza in spinta e frenata
Freno	posteriore
Struttura	in alluminio e acciaio ultraleggero - 3,3 Kg
Ruote	in fibra di poliuretano ad alta resistenza e durabilità ø 200 mm
Cuscinetti a sfera di precisione	ABEC 7
Cavalletto	laterale
Colore	nero/arancio
Istruzioni	multilingua (IT/EN/FR/ES/DE) incluse
Peso massimo utilizzatore consigliato	100kg
Imballo	color box - 4 box in cartone master
Certificazione	EN14619:2005

EN

Foldable	space saver
Removable shoulder strap	included, for an easy and comfortable carriage
T-bar	telescopic, with adjustable height - 91/96/100 cm
Handles	with ergonomic and non-slip rubber grip
Deck	lowered for a better stability and safety in pushing and braking
Brake	rear position
Structure	ultra light aluminum and steel - 3,3 Kg
Wheels	ø 200 mm high strength and durability polyurethane fiber wheels
High precision roller bearings	ABEC 7
Kickstand	lateral
Colours	black/orange
Instruction manual	multilanguage instructions (Italian-English-French-Spanish-German) included
Recommended maximum user's weight	100kg
Packing	colour box - 4 boxes in a master carton
Certification	EN14619:2005



FIREWHEEL



GRG-020 rosa/pink taglia/size S GRG-023 blu/blue taglia/size S GRG-026 rosso/red taglia/size S
 GRG-021 rosa/pink taglia/size M GRG-024 blu/blue taglia/size M GRG-027 rosso/red taglia/size M
 GRG-022 rosa/pink taglia/size L GRG-025 blu/blue taglia/size L GRG-028 rosso/red taglia/size L

IT

Asse ruota	alluminio - spessore 2 mm
Scarpetta	imbottita traspirante
Scafo	ventilato
Sistema di chiusura	con lacci, strap e leva
Sistema di regolazione lunghezza	fino a 4 misure - a scatti con pulsante
Ruote	PVC ø 64 mm - anteriore con luci colorate di sicurezza (taglia S) PVC ø 70 mm - anteriore con luce bianca di sicurezza (taglia M e L)
Cuscinetti a sfera di precisione	ABEC 7
Colori disponibili	rosa/grigio/nero, rosso/grigio/nero, blu/grigio/nero
Taglie disponibili	S 30/33 - M 34/37 - L 38/41
Chiave per montaggio/smontaggio	inclusa
Istruzioni	multilingua (IT/EN/FR) incluse
Peso min/max utilizzatore consigliato	S 20/40 kg - M 40/60 kg - L 60/100 kg
Imballo	color box - 6 box in cartone master
Certificazione	EN71 e EN 13843:2009. Classe A

EN

Wheel axis	aluminum - thickness 2 mm
Shoe	breathable padding
Shoe support	aired
Closing system	by strings, straps and micrometer lever
Length adjusting system	up to 4 sizes - click adjustment by a button
Wheels	PVC ø 64 mm - front wheel with safety coloured lights (size S) PVC ø 70 mm - front wheel with safety white light (sizes M and L)
Precision ball bearings	ABEC 7
Colours available	pink/grey/black, red/grey/black, blue/grey/black
Sizes available	S 30/33 - M 34/37 - L 38/41
Assembly/dismantling key	included
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended min/max user's weight	S 20/40 kg - M 40/60 kg - L 60/100 kg
Packing	colour box - 6 boxes in a master carton
Certification	EN71 and EN 13843:2009. Class A



FIREWHEEL PRO

GRG-029 taglia/size M

GRG-030 taglia/size L



IT

Asse ruota	alluminio - spessore 2,2 mm
Scarpetta	tessuto tecnico traspirante e flessibile
Scafo	ventilato
Sistema di chiusura	con lacci, strap e leva micrometrica
Sistema di regolazione lunghezza	fino a 4 misure - a scatti con pulsante
Ruote	fibra di poliuretano ad alta resistenza e durabilità ø 70 mm anteriore con luce bianca di sicurezza
Cuscinetti a sfera di precisione	ABEC 7
Colore	nero
Taglie disponibili	M 34/37 - L 38/41
Chiave per montaggio/smontaggio	inclusa
Istruzioni	multilingua (IT/EN/FR) incluse
Peso min/max utilizzatore consigliato	M 40/60 kg - L 60/100 kg
Imballo	color box - 6 box in cartone master
Certificazione	EN71 e EN 13843:2009. Classe A

EN

Wheel axis	aluminum - thickness 2,2 mm
Shoe	breathable and pliable technical fabric
Shoe support	aired
Closing system	by strings, straps and micrometer lever
Length adjusting system	up to 4 sizes - click adjustment by a button
Wheels	high resistance and durability PU ø 70 mm - front wheel with safety white light
Precision ball bearings	ABEC 7
Colour	black
Sizes available	M 34/37 - L 38/41
Assembly/dismantling key	included
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended min/max user's weight	M 40/60 kg - L 60/100 kg
Packing	colour box - 6 boxes in a master carton
Certification	EN71 and EN 13843:2009. Class A

SCARPETTA IMBOTTITA
IN TESSUTO TECNICO
BREATHABLE AND
PLIABLE TECHNICAL SHOE

LEVA MICROMETRICA
MICROMETER LEVER

STRAP
LACCI
STRINGS

SCAFO VENTILATO
AIRED SHOE SUPPORT

CUSCINETTI ABEC7
BALL BEARINGS ABEC7

RUOTE IN FIBRA DI
POLIURETANO AD ALTA
RESISTENZA
HIGH RESISTANCE PU WHEELS

PULSANTE REGOLAZIONE
ADJUSTMENT BUTTON

ALLUNGABILE 4 MISURE
LENGTH ADJUSTING SYSTEM UP TO 4 SIZES

ASSE RUOTA ALLUMINIO 2,2 mm
ALUMINUM WHEEL AXIS - THICKNESS 2,2 mm



2IN1 REVERSE

Pattini a rotelle trasformabili
in pattini in linea

Quad skates convertible
into inline skates

GRG-057 fucsia/fuchsia taglia/size S

GRG-058 fucsia/fuchsia taglia/size M

GRG-059 fucsia/fuchsia taglia/size L

GRG-054 verde lime/lime green taglia/size S

GRG-055 verde lime/lime green taglia/size M

GRG-056 verde lime/lime green taglia/size L



IT

Scarpetta	imbottita traspirante con scafo ventilato
Sistema di chiusura	con lacci, strap e leva micrometrica
Sistema di regolazione lunghezza	fino a 4 misure - a scatti con pulsante
Colori disponibili	fucsia/nero, verde lime/nero
Taglie disponibili	S 30/33 - M 34/37 - L 38/41
Dotazioni	Chiavi per montaggio/smontaggio - Istruzioni multilingua (IT/EN/FR)
Peso massimo utilizzatore consigliato	S 20/40 kg - M 40/60 kg - L 60/100 kg
Imballo	color box - 6 box in cartone master
Certificazione	EN71, EN 13899 e EN 13843:2009 - Classe A

Kit pattini in linea

Asse ruota	alluminio - spessore 2 mm
Ruote	PVC ø 64 mm - anteriore con luci colorate di sicurezza (taglia S) PVC ø 70 mm - anteriore con luce bianca di sicurezza (taglia M e L)
Cuscinetti a sfera di precisione	ABEC 7

Kit pattini a rotelle

Chassis	fibra di poliuretano ad alta resistenza e durabilità
Ruote	PVC ø 54x30 mm
Cuscinetti a sfera di precisione	ABEC 7

EN

Shoe	breathable padded with aired shoe support
Closing system	by strings, straps and micrometer lever
Length adjusting system	up to 4 sizes - click adjustment by a button
Colours available	fuchsia/black, lime green/black
Sizes available	S 30/33 - M 34/37 - L 38/41
Includes	assembly/dismantling keys - multilanguage instructions (Italian-English-French)
Recommended min/max user's weight	S 20/40 kg - M 40/60 kg - L 60/100 kg
Packing	colour box - 6 boxes in a master carton
Certification	EN71, EN 13899 and EN 13843:2009. Class A

Inline skates kit

Wheel axis	aluminum - thickness 2 mm
Wheels	ø 64 mm PVC - front wheel with coloured safety lights (size S) ø 70 mm PVC - front wheel with white safety light (sizes M and L)

Precision ball bearings	ABEC 7
-------------------------	--------

Quad skates kit

Chassis	high resistance and durability PU
Wheels	ø 54x30 mm PVC
Precision ball bearings	ABEC 7



3IN1 FLEXWHEEL



Pattini a rotelle trasformabili
in pattini in linea e pattini da ghiaccio

Quad skates convertible
into inline and ice skates

GRG-067 taglia/size S

GRG-068 taglia/size M

GRG-069 taglia/size L



IT

Scarpetta	imbottita traspirante con scafo ventilato
Sistema di chiusura	con lacci, strap e leva micrometrica
Sistema di regolazione lunghezza	fino a 4 misure - a scatti con pulsante
Taglie disponibili	S 30/33 - M 34/37 - L 38/41
Dotazioni	Chiavi per montaggio/smontaggio - Istruzioni multilingua (IT/EN/FR)
Peso massimo utilizzatore consigliato	S 20/40 kg - M 40/60 kg - L 60/100 kg
Imballo	color box - 6 box in cartone master
Certificazione	EN71, EN 13899, EN 13843:2009 - Classe A e EN15638
Kit pattini da ghiaccio	
Chassis	acciaio inossidabile - spessore 3 mm
Kit pattini in linea	
Asse ruota	alluminio - spessore 2 mm
Ruote	PVC ø 64 mm - anteriore con luci colorate di sicurezza (taglia S) PVC ø 70 mm - anteriore con luce bianca di sicurezza (taglia M e L)
Cuscinetti a sfera di precisione	ABEC 7

EN

Kit pattini a rotelle	
Chassis	fibra di poliuretano ad alta resistenza e durabilità
Ruote	PVC ø 54x30 mm
Cuscinetti a sfera di precisione	ABEC 7
Shoe	breathable padded with aired shoe support
Closing system	by strings, straps and micrometer lever
Length adjusting system	up to 4 sizes - click adjustment by button
Sizes available	S 30/33 - M 34/37 - L 38/41
Includes	assembly/dismantling keys - multilanguage instructions (Italian-English-French)
Recommended min/max user's weight	S 20/40 kg - M 40/60 kg - L 60/100 kg
Packing	colour box - 6 boxes in a master carton
Certification	EN71, EN 13899, EN 13843:2009. Class A and EN15638
Ice skates kit	
Chassis	stainless steel - thickness 3 mm
Inline skates kit	
Wheel axis	aluminum - thickness 2 mm
Wheels	ø 64 mm PVC - front wheel with coloured safety lights (size S) ø 70 mm PVC - front wheel with white safety light (sizes M and L)
Precision ball bearings	ABEC 7
Quad skates kit	
Chassis	high resistance and durability PU
Wheels	ø 54x30 mm PVC
Precision ball bearings	ABEC 7



CHASSIS IN ACCIAIO INOSSIDABILE - SPESSORE 3 MM
STAINLESS STEEL CHASSIS - THICKNESS 3 MM



AXEL

GRG-047 taglia/size 32
GRG-048 taglia/size 33
GRG-049 taglia/size 34
GRG-050 taglia/size 35
GRG-051 taglia/size 36

GRG-052 taglia/size 37
GRG-053 taglia/size 38
GRG-060 taglia/size 39
GRG-061 taglia/size 40



IT

Asse ruota	alluminio
Stivaletto	ecopelle con tallone rinforzato
Sistema di chiusura	con lacci
Ruote	fibra di poliuretano ad alta resistenza e durabilità ø 54x32 mm
Freno	fibra di poliuretano ad alta resistenza e durabilità
Cuscinetti a sfera di precisione	ABEC 7
Colore	bianco
Taglie disponibili	32-33-34-35-36-37-38-39-40
Istruzioni	multilingua (IT/EN/FR) incluse
Peso min/max utilizzatore consigliato	20/80 kg
Imballo	color box - 6 box in cartone master
Certificazione	EN 13899. Classe A

EN

Wheel axis	aluminium
Shoe	eco-leather shoe with reinforced heel
Closing system	by strings
Wheels	high resistance and durability PU - ø 54x32 mm
Brake	high resistance and durability PU
Precision ball bearings	High precision roller bearings ABEC7
Colours available	white
Sizes available	32-33-34-35-36-37-38-39-40
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended min/max user's weight	20/80 kg
Packing	colour box - 6 boxes in a master carton
Certification	EN 13899 class A.

TALLONE RINFORZATO
REINFORCED HEEL

STIVALETTO IN ECOPELLE
ECO-LEATHER SHOE

LACCI
STRINGS

CUSCINETTI ABEC7
BEARINGS ABEC7

FRENO ANTERIORE IN PU
FRONT PU BRAKE

RUOTE IN PU Ø 54X32 MM
PU WHEELS Ø 54X32 MM

ASSE RUOTA ALLUMINIO
ALUMINIUM WHEEL AXIS



KIDS FINO A 25 KG - UP TO 25 KG



GRG-018



GRG-019

JUNIOR 25-50 KG



GRG-043

SENIOR OLTRE 50 KG - OVER 50 KG



GRG-017

IT

Contenuto	ginocchiere, gomitiere e parapolsi regolabili
Sistema di chiusura	doppia chiusura con regolazione in velcro
Struttura	ergonomica e rinforzata
Imbottitura	high comfort
Utilizzo	skateboard, roller, monopattino, bicicletta, BMX
Istruzioni	multilingua (IT/EN/FR) incluse
Peso massimo utilizzatore consigliato	Kids 25 kg - Junior 25/50 kg - Senior oltre 50 kg
Imballo	borsa in micro rete con cartoncino - 100 pz in cartone master (Kids e Junior) / 50 pz in cartone master (Senior)
Certificazioni	EN 14120:2003+A1:2007. Classe A (Kids) / B (Junior) / C (Senior)

EN

Content	adjustable knee, elbow and wrist pads
Closing system	double closing with adjustable straps
Structure	ergonomic and high impact
Padding	high comfort
Use	skateboard, roller, scooter, bike, BMX
Instruction manual	multilanguage instructions (Italian-English-French) included
Recommended maximum user's weight	Kids 25 kg - Junior 25/50 kg - Senior over 50 kg
Packing	micro mesh bag with hang card - 100 pcs in a master carton (Kids and Junior) / 50 pcs in a master carton (Senior)
Certification	EN 14120:2003+A1:2007. Class A (Kids) / B (Junior) / C (Senior)

STRUTTURA ERGONOMICA
E RINFORZATA
ERGONOMIC AND HIGH
IMPACT STRUCTURE



IMBOTTITURA HIGH COMFORT
HIGH COMFORT PADDING

CINGHIE DI REGOLAZIONE
CON VELCRO
ADJUSTABLE STRAP WITH VELCRO



CASCHI DA BIKE - BICYCLE HELMETS

ACTION FEEL

GRG-031 taglia/size XS - GRG-032 taglia/size S



ACTION RUN

GRG-033 taglia/size XS - GRG-034 taglia/size S



MOTOR CLUB

GRG-035 taglia/size XS - GRG-036 taglia/size S



FLOWERS

GRG-037 taglia/size XS - GRG-038 taglia/size S



IT


Calotta interna	anti shock in EPS ad alta densità - Made in USA
Imbottitura interna	estraibile e lavabile
Imbottitura extra	sotto al mento per il massimo comfort
Sistema di regolazione	con manopola per un'ottima vestibilità
Rete anti insetto	in dotazione per la massima sicurezza
Grafiche/colori disponibili	Action feel, Action run, Motor club, Flowers
Taglie disponibili	XS 49/51 - S 52/55
Peso	180g +/- 10g
Utilizzo	ideale per biciclette
Istruzioni	multilingua (IT/EN/FR) incluse
Imballo	cartoncino appendibile - 12 pz in cartone master
Certificazione	EN 1078:1997 + A1:2005

EN

Inner cap	anti shock in high density EPS - Made in USA
Inner padding	removable and washable
Extra padding	under chin padding for extra comfort
Adjusting system	with handle for the best wearability
Anti-insect net	included for the greatest safety
Designs/colours available	Action feel, Action run, Motor club, Flowers
Sizes available	XS 49/51 - S 52/55
Weight	180g +/- 10g
Use	ideal for bicycles
Instruction manual	multilanguage instructions (Italian-English-French) included
Packing	hangleable head card - 12 pcs in a master carton
Certification	EN 1078:1997 + A1:2005




RETE ANTI INSETTO
ANTI INSECT NET




CALOTTA IN
EPS ALTA
DENSITÀ
MADE IN USA
ANTI SHOCK
INNER
CAP IN HIGH
DENSITY EPS
MADE IN USA



IMBOTTITURA ESTRAIBILE
REMOVABLE INNER PADDING



IMBOTTITURA MENTO
EXTRA PADDING UNDER CHIN



MANOPOLA PER REGOLAZIONE
ADJUSTING SYSTEM WITH HANDLE



CASCHI DA STRADA - STREET HELMETS

REVOLUTION

GRG-041 taglia/size S - GRG-042 taglia/size M

FLOWERS

GRG-039 taglia/size S - GRG-040 taglia/size M





IT

Calotta interna	anti shock in EPS ad alta densità Made in USA
Imbottitura interna	estraibile e lavabile
Imbottitura extra	sotto al mento per il massimo comfort
Sistema di regolazione	con manopola per un'ottima vestibilità
Grafiche/colori disponibili	Revolution, Flowers
Taglie disponibili	S 52/55 - M 55/58
Peso	415g +/- 20g
Utilizzo	ideale per skateboard, roller, monopattini e BMX
Istruzioni	multilingua (IT/EN/FR) incluse
Imballo	cartoncino appendibile - 6 pz in cartone master
Certificazione	EN 1078:1997 + A1:2005

EN

Inner cap	anti shock in high density EPS - Made in USA
Inner padding	removable and washable
Extra padding	under chin padding for extra comfort
Adjusting system	with handle for the best wearability
Designs/colours available	Revolution, Flowers
Sizes available	S 52/55 - M 55/58
Weight	415g +/- 20g
Use	ideal for skateboards, roller-blades, scooters and BMX
Instruction manual	multilanguage instructions (Italian-English-French) included
Packing	hangeable head card - 6 pcs in a master carton
Certifications	EN 1078:1997 + A1:2005

IMBOTTITURA MENTO
EXTRA PADDING UNDER CHINIMBOTTITURA ESTRAIBILE
REMOVABLE INNER PADDINGCALOTTA IN EPS
ALTA DENSITÀ
MADE IN USA
ANTI SHOCK
INNER CAP IN
HIGH DENSITY
EPS MADE IN
USAMANOPOLA PER REGOLAZIONE
ADJUSTING SYSTEM WITH HANDLE

ACCESSORI WAVE BOARD / WAVE BOARDS ACCESSORIES



cod. GRG-105

2 RUOTE BIANCHE Ø 76MM PU CON CUSCINETTI ABEC7 E LUCI DI SICUREZZA PER WAVE BOARD
2 Ø 76MM WHITE PU WHEELS WITH ABEC7 BEARINGS AND SAFETY LIGHT FOR WAVE BOARDS



cod. GRG-107

KIT 2 ASSI RUOTA PER WAVE BOARD "URBAN WAVE"
2 WHEEL AXLES KIT FOR "URBAN WAVE" WAVE BOARD



cod. GRG-106

KIT BARRA DI TORSIONE PER WAVE BOARD "URBAN WAVE"
TORSION BAR KIT FOR "URBAN WAVE" WAVE BOARD

ACCESSORI SKATEBOARD / SKATEBOARDS ACCESSORIES



cod. GRG-109

2 RUOTE TRASPARENTI 50x36MM PU CON CUSCINETTI ABEC5 PER SKATEBOARD CON TAVOLA IN LEGNO
2 50x36MM TRANSPARENT PU WHEELS WITH ABEC 5 BEARINGS FOR WOODEN SKATEBOARDS



cod. GRG-125

2 RUOTE TRASPARENTI 50x36MM PU CON CUSCINETTI ABEC7 PER SKATEBOARD CON TAVOLA IN LEGNO
2 50x36MM TRANSPARENT PU WHEELS WITH ABEC 7 BEARINGS FOR FOR WOODEN SKATEBOARDS



cod. GRG-115

2 RUOTE GIALLE 60x45MM PU CON CUSCINETTI ABEC7 PER SKATEBOARD CON TAVOLA IN POLIPROPILENE/ABS
2 60x45MM YELLOW PU WHEELS WITH ABEC 7 BEARINGS FOR POLYPROPYLENE/ABS SKATEBOARDS



cod. GRG-116

2 RUOTE AZZURRE 60x45MM PU CON CUSCINETTI ABEC7 PER SKATEBOARD CON TAVOLA IN POLIPROPILENE/ABS
2 60x45MM LIGHT BLUE PU WHEELS WITH ABEC 7 BEARINGS FOR POLYPROPYLENE/ABS SKATEBOARDS



cod. GRG-108

TRUCK IN ALLUMINIO 12,7CM (5") COMPLETO DI PAD E KIT VITI PER SKATEBOARD CON TAVOLA IN LEGNO STREET PRO
12,7CM (5") ALUMINIUM TRUCK WITH PAD AND SCREWS KIT FOR WOODEN SKATEBOARDS TRIBE PRO



cod. GRG-122

TRUCK IN ALLUMINIO 12,7CM (5") COMPLETO DI PAD PER SKATEBOARD CON TAVOLA IN LEGNO STREET PRO
12,7CM (5") ALUMINIUM TRUCK WITH PAD FOR WOODEN SKATEBOARDS STREET PRO



cod. GRG-117

TRUCK IN ALLUMINIO 8,2CM (3,25") COMPLETO DI PAD E KIT VITI PER SKATEBOARD IN POLIPROPILENE/ABS
8,2CM (3,25") ALUMINIUM TRUCK WITH PAD AND SCREWS KIT FOR POLYPROPYLENE/ABS SKATEBOARDS

ACCESSORI LONGBOARDS / LONGBOARDS ACCESSORIES



cod. GRG-127

2 RUOTE AZZURRE 65X45MM PU CON CUSCINETTI ABEC7 PER LONGBOARD CRUISER BAY
2 65X45MM LIGHT BLUE PU WHEELS WITH ABEC7 BEARINGS FOR CRUISER BAY LONGBOARD




cod. GRG-126

2 RUOTE AVORIO 70X50MM PU CON CUSCINETTI ABEC7 PER LONGBOARD CRUISER LAND
2 70X50MM IVORY PU WHEELS WITH ABEC7 BEARINGS FOR CRUISER LAND LONGBOARD



cod. GRG-130

2 RUOTE AZZURRE 70X50MM PU CON CUSCINETTI ABEC7 PER LONGBOARD DROP PACIFIC
2 70X50MM LIGHT BLUE PU WHEELS WITH ABEC7 BEARINGS FOR DROP PACIFIC LONGBOARD



cod. GRG-123

TRUCK IN ALLUMINIO 17,7CM (7") COMPLETO DI PAD PER LONGBOARD CRUISER BAY E CRUISER LAND
17,7CM (7") ALUMINIUM TRUCK WITH PAD FOR LONGBOARD CRUISER BAY AND CRUISER LAND



cod. GRG-124

TRUCK IN ALLUMINIO 17,7CM (7") COMPLETO DI PAD PER LONGBOARD DROP PACIFIC
17,7CM (7") ALUMINIUM TRUCK WITH PAD FOR LONGBOARD DROP PACIFIC

ACCESSORI HOVERBOARDS / HOVERBOARDS ACCESSORIES



cod. GRG-120

BORSA ZAINO PER HOVERBOARD CON RUOTE Ø 6,5"
BACKPACK FOR HOVERBOARD WITH 6.5" DIAMETER WHEEL



cod. GRG-121

BORSA ZAINO PER HOVERBOARD CON RUOTE Ø 10"
BACKPACK FOR HOVERBOARD WITH 10" DIAMETER WHEEL



cod. GRG-131

BATTERIA SAMSUNG, LITHIUM-ION DA 4.400 mAh PER HOVERBOARD TRACK 6.5, SKYLON 6.5 E VOYAGER 10.0
4.400 mAh LITHIUM-ION, SAMSUNG BATTERY FOR HOVERBOARDS TRACK 6.5, SKYLON 6.5 AND VOYAGER 10.0

ACCESSORI MONOPATTINI / KICK SCOOTERS ACCESSORIES



cod. GRG-110

RUOTA FUCSIA Ø120MM PVC CON CUSCINETTI ABEC 7 PER MONOPATTINI
Ø120MM FUCHSIA PVC WHEEL WITH ABEC 7 BEARINGS FOR KICK SCOOTERS



cod. GRG-111

RUOTA ARANCIO Ø120MM PVC CON CUSCINETTI ABEC 7 PER MONOPATTINI
Ø120MM ORANGE PVC WHEEL WITH ABEC 7 BEARINGS FOR KICK SCOOTERS



cod. GRG-112

RUOTA NERA/ARANCIO Ø200MM PU CON CUSCINETTI ABEC 7 PER MONOPATTINI
Ø200MM BLACK/ORANGE PU WHEEL WITH ABEC 7 BEARINGS FOR KICK SCOOTERS

ACCESSORI MONOPATTINI / KICK SCOOTERS ACCESSORIES



cod. GRG-113

KIT 2 ASSI RUOTA (ANTERIORE + POSTERIORE) PER MONOPATTINI RAPTOR
2 WHEEL AXLES KIT (FRONT+REAR) FOR RAPTOR KICK SCOOTERS



cod. GRG-114

KIT 2 ASSI RUOTA (ANTERIORE + POSTERIORE) PER MONOPATTINI RAPTOR PRO
2 WHEEL AXLES KIT (FRONT+REAR) FOR RAPTOR PRO KICK SCOOTERS

ACCESSORI PATTINI IN LINEA / INLINE SKATES ACCESSORIES



cod. GRG-102

2 RUOTE BIANCHE Ø 70MM PU CON CUSCINETTI ABEC7 PER PATTINI IN LINEA
2 Ø 70MM WHITE PU WHEELS WITH ABEC 7 BEARINGS FOR INLINE SKATES



cod. GRG-103

2 RUOTE BIANCHE Ø 70MM PU CON CUSCINETTI ABEC7 E LUCE BIANCA DI SICUREZZA PER PATTINI IN LINEA
2 Ø 70MM WHITE PU WHEELS WITH ABEC 7 BEARINGS AND WHITE SAFETY LIGHT FOR INLINE SKATES



cod. GRG-101

FRENO TAMPONE COMPLETO DI KIT FISSAGGIO PER PATTINI IN LINEA FIREWHEEL E FIREWHEEL PRO
PAD BRAKE WITH FIXING KIT FOR FIREWHEEL AND FIREWHEEL PRO INLINE SKATES



cod. GRG-104

KIT 8 ASSI RUOTA PER PATTINI IN LINEA FIREWHEEL E FIREWHEEL PRO
8 WHEEL AXLES KIT FOR FIREWHEEL AND FIREWHEEL PRO INLINE SKATES

ACCESSORI PATTINI 2IN1 REVERSE E 3IN1 FLEXWHEEL / QUAD-INLINE SKATES 2IN1 REVERSE AND 3IN1 FLEXWHEEL ACCESSORIES



cod. GRG-129

2 RUOTE NERE Ø 54x30MM PU CON CUSCINETTI ABEC7 PER PATTINI A ROTELLE 2IN1REVERSE
2 Ø 54x30MM BLACK PU WHEELS WITH ABEC 7 BEARINGS FOR 2IN1REVERSE QUAD SKATES



cod. GRG-128

KIT 2 FRENI TAMPONE NERI COMPLETO DI KIT FISSAGGIO PER PATTINI A ROTELLE 2IN1REVERSE
2 PAD BRAKES WITH FIXING KIT FOR 2IN1REVERSE QUAD SKATES



cod. GRG-132

2 RUOTE NERE Ø 70MM PVC CON CUSCINETTI ABEC7 PER PATTINI IN LINEA
2 Ø 70MM BLACK PVC WHEELS WITH ABEC 7 BEARINGS FOR INLINE SKATES

NEW

NEW



cod. GRG-133

2 RUOTE NERE Ø 70MM PVC CON
CUSCINETTI ABEC7 E LUCE BIANCA
DI SICUREZZA PER PATTINI IN LINEA
2 Ø 70MM BLACK PVC WHEELS WITH
ABEC 7 BEARINGS AND WHITE
SAFETY LIGHT FOR INLINE SKATES

ACCESSORI PATTINI DA ARTISTICA / FIGURE SKATES ACCESSORIES



cod. GRG-118

FRENO TAMPONE BIANCO PU COM-
PLETO DI KIT FISSAGGIO PER PATTINI
ARTISTICA AXEL
WHITE PU PAD BRAKE WITH FIXING
KIT FOR AXEL FIGURE SKATES



cod. GRG-119

4 RUOTE BIANCHE Ø54X32MM PU
CON CUSCINETTI A SFERA ABEC 7
PER PATTINI ARTISTICA AXEL
4 Ø54X32MM WHITE PU WHEELS
WITH ABEC 7 BEARINGS FOR AXEL FI-
GURE SKATES



Garlando S.p.A.

Via Regione Piemonte, 32 - Zona Ind. D1

15068 Pozzolo Formigaro (AL) - Italy

Tel. +39.0143.318500

Fax +39.0143.318585

info@nextreme.it

www.nextreme.it

Distribuito da / Distributed by

